

| Stamm      | Unterstamm  | Klasse     | Unterklasse | Ordnung          | Familie         | Art                              | Beschreiber   | Trivialnamen                          | Ökologische Klassifikation |
|------------|-------------|------------|-------------|------------------|-----------------|----------------------------------|---|---------------------------------------|----------------------------|
| Annelida   |             | Citellata  | Oligochaeta | Aphanoneura      | Aeolosomatidae  | <i>Aeolosoma hemprichi</i>       | Ehrenberg, 1831   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Aphanoneura      | Aeolosomatidae  | <i>Aeolosoma hyalinum</i>        | Bunke, 1967   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Aphanoneura      | Aeolosomatidae  | <i>Aeolosoma litorale</i>        | Bunke, 1967   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Aphanoneura      | Aeolosomatidae  | <i>Aeolosoma niveum</i>          | Leydig, 1865  |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Aphanoneura      | Aeolosomatidae  | <i>Aeolosoma psammophilum</i>    | Bunke, 1967   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Aphanoneura      | Aeolosomatidae  | <i>Aeolosoma quaternarium</i>    | Ehrenberg, 1831   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Crassiclitellata | Lumbricidae     | <i>Allalobophora chlorotica</i>  | (Savigny, 1826)   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Crassiclitellata | Lumbricidae     | <i>Aporrectodea caliginosa</i>   | (Savigny, 1826)   | Kleiner Wiesenwurm                    | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Crassiclitellata | Lumbricidae     | <i>Aporrectodea rosea</i>        | (Savigny, 1826)   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Crassiclitellata | Lumbricidae     | <i>Bimastos rubidus</i>          | (Savigny, 1826)   | Köcherwurm                            | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Crassiclitellata | Lumbricidae     | <i>Eiseniella tetraedra</i>      | (Savigny, 1826)   | Vierkantwurm                          | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Crassiclitellata | Lumbricidae     | <i>Helodrilus oculatus</i>       | Hoffmeister, 1845   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Crassiclitellata | Lumbricidae     | <i>Octolasion lacteum</i>        | (Örley, 1881)   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Enchytraeida     | Enchytraeidae   | <i>Buchholzia appendiculata</i>  | (Buchholz, 1863)  |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Enchytraeida     | Enchytraeidae   | <i>Cernovitiavella atrata</i>    | (Bretscher, 1903)   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Enchytraeida     | Enchytraeidae   | <i>Enchytraeus buchholzi</i>     | Vejdovský, 1878   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Enchytraeida     | Enchytraeidae   | <i>Fridericia galba</i>          | (Hoffmeister, 1843)   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Enchytraeida     | Enchytraeidae   | <i>Fridericia perrieri</i>       | (Vejdovský, 1878)   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Enchytraeida     | Enchytraeidae   | <i>Globulidrilus riparius</i>    | (Bretscher, 1899)   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Enchytraeida     | Enchytraeidae   | <i>Marionina argentea</i>        | (Michaelsen, 1889)  |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Enchytraeida     | Enchytraeidae   | <i>Mesenchytraeus armatus</i>    | (Levinson, 1884)  | Wald-Enchytrée                        | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Dorydriidae     | <i>Dorydrius michaelsoni</i>     | Piguet, 1913  |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Haplotaxidae    | <i>Haplotaxis gordioides</i>     | (G. L. Hartmann, 1819)  |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Amphichaeta leydigi</i>       | Tauber, 1879  |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Emballocephalus velutinus</i> | (Grube, 1879)   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Lophochaeta ignota</i>        | Štolc, 1886   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Nais variabilis</i>           | Piguet, 1906  |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Potamothenix hammoniensis</i> | (Michaelsen, 1901)  |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Pristina bilobata</i>         | (Bretscher, 1903)   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Pristina proboscidae</i>      | Beddard, 1896   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Psammoryctides albicola</i>   | (Michaelsen, 1901)  |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Rhyacodrilus falciformis</i>  | Bretscher, 1901   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Rhyacodrilus subterraneus</i> | Hrabě, 1963   |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Tubifex tubifex</i>           | (O. F. Müller, 1774)  | Schlammröhrenwurm                     | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Haplotaxida      | Naididae        | <i>Uncinaxis uncinata</i>        | (Ørsted, 1842)  |                                       | eutroglophil               |
| Annelida   |             | Citellata  | Oligochaeta | Lumbriculida     | Lumbriculidae   | <i>Guestphalinus wiardi</i>      | (Michaelsen, 1933)  |                                       | eutroglöbiont              |
| Annelida   |             | Citellata  | Oligochaeta | Lumbriculida     | Lumbriculidae   | <i>Trichodrilus tenuis</i>       | Hrabě, 1960   |                                       | eutroglöbiont              |
| Annelida   |             | Polychaeta |             | Nerillida        | Nerillidae      | <i>Troglochaetus beranecki</i>   | Delachaux, 1921   | Vielborstiger Urringelwurm            | eutroglöbiont              |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Ixodida          | Argasidae       | <i>Carios vespertilionis</i>     | Latreille, 1802   | Kurzbeinige Fledermauszecke           | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Ixodida          | Ixodidae        | <i>Ixodes ariadnae</i>           | Hornok, Kotschán, Kovács, Kovács, Angyal, Görfföl, Polacsek, Kalmár & Mihalca, 2014 | Spinnenförmige Fledermaus-Schildzecke | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Ixodida          | Ixodidae        | <i>Ixodes simplex</i>            | Neumann, 1906   | Gemeine Fledermaus-Schildzecke        | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Ixodida          | Ixodidae        | <i>Ixodes vespertilionis</i>     | C. L. Koch, 1844  | Langbeinige Fledermaus-Schildzecke    | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Epicriidae      | <i>Epicrius mollis</i>           | (Kramer, 1876)  |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Haemogamasidae  | <i>Eulaelaps stabularis</i>      | (C. L. Koch, 1836)  |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Haemogamasidae  | <i>Haemogamasus nidi</i>         | Michael, 1892   |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Laelapidae      | <i>Myonyssus gigas</i>           | (Oudemans, 1912)  |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Macrochelidae   | <i>Geholaspis mandibularis</i>   | Berlese, 1904   |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Macronyssidae   | <i>Macronyssus ellipticus</i>    | (Kolenati, 1857)  |                                       | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Pachylaelapidae | <i>Pachylaelaps karawaiewi</i>   | Berlese, 1920   |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Parasitidae     | <i>Eugamasus cavernicola</i>     | (Trägårdh, 1912)  | Höhlenraubmilbe                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Parasitidae     | <i>Eugamasus magnus</i>          | (Kramer, 1876)  |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Parasitidae     | <i>Parasitus loricatus</i>       | (Wankel, 1861)  |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Parasitidae     | <i>Parasitus maschkeae</i>       | Willmann, 1936  |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Parasitidae     | <i>Pergamasus crassipes</i>      | (Linnaeus, 1758)  |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Parasitidae     | <i>Pergamasus longicornis</i>    | (Berlese, 1906)   |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Parasitidae     | <i>Pergamasus robustus</i>       | (Oudemans, 1902)  |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Parasitidae     | <i>Pergamasus ruehmi</i>         | Willmann, 1938  |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Parasitidae     | <i>Vulgarogamasus oudemansi</i>  | (Berlese, 1904)   |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Parasitidae     | <i>Vulgarogamasus remberti</i>   | (Oudemans, 1912)  |                                       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida  | Acari       | Mesostigmata     | Rhodacaridae    | <i>Cyrtolaelaps mucronatus</i>   | (G. & R. Canestrini, 1881)  |                                       | eutroglophil               |

| Stamm      | Unterstamm  | Klasse    | Unterklasse | Ordnung          | Familie           | Art                                    | Beschreiber                  | Trivialnamen                   | Ökologische Klassifikation |
|------------|-------------|-----------|-------------|------------------|-------------------|--|------------------------------|--------------------------------|----------------------------|
| Arthropoda | Chelicerata | Arachnida | Acari       | Mesostigmata     | Rhodacaridae      | <i>Euryparasitus emarginatus</i>       | (C. L. Koch, 1839)           |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Mesostigmata     | Spinturnicidae    | <i>Spinturnix andegavinus</i>          | Deunff, 1977                 |                                | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Mesostigmata     | Spinturnicidae    | <i>Spinturnix myoti</i>                | (Kolenati, 1856)             | Mausohr-Flughautmilbe          | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Mesostigmata     | Spinturnicidae    | <i>Spinturnix plecotinus</i>           | (Koch, 1839)                 | Langohr-Flughautmilbe          | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Mesostigmata     | Urodynychidae     | <i>Uroobovella advena</i>              | (Trägårdh, 1912)             |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Mesostigmata     | Veigaiaidae       | <i>Veigaia kochi</i>                   | (Trägårdh, 1901)             |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Mesostigmata     | Veigaiaidae       | <i>Veigaia nemorensis</i>              | (C. L. Koch, 1839)           |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Mesostigmata     | Veigaiaidae       | <i>Veigaia propinqua</i>               | Willmann, 1936               |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Mesostigmata     | Veigaiaidae       | <i>Veigaia transisalae</i>             | (Oudemans, 1902)             |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Sarcoptiformes   | Acaridae          | <i>Schwiebea cavernicola</i>           | Vitzthum, 1932               |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Sarcoptiformes   | Banksinomiidae    | <i>Oribella pectinata</i>              | (Michael, 1885)              |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Sarcoptiformes   | Belbidae          | <i>Belba lengersdorfi</i>              | Willmann, 1932               | Lengersdorf-Hornmilbe          | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Sarcoptiformes   | Oppiidae          | <i>Oppia maritima</i>                  | (Willmann, 1929)             |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Aturidae          | <i>Kongsbergia angusta</i>             | Walter, 1947                 |                                | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Aturidae          | <i>Ljania bipapillata</i>              | Thor, 1898                   |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Calyptostomatidae | <i>Calyptostoma velutinus</i>          | (O. F. Müller, 1776)         |                                | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Cocceupodidae     | <i>Linopodes motatorius</i>            | (Linnaeus, 1758)             |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Frontipodopsidae  | <i>Frontipodopsis reticulatifrons</i>  | Szalay, 1954                 |                                | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Halacaridae       | <i>Lobohalacarus weberi</i>            | (Romijn & Viets, 1924)       |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Halacaridae       | <i>Parasoldanellonyx parviscutatus</i> | (Walter, 1917)               |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Halacaridae       | <i>Parasoldanellonyx typhlops</i>      | Viets, 1933                  |                                | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Halacaridae       | <i>Soldanellonyx chappuisi</i>         | Walter, 1917                 | Chappuis-Meeresmilbe           | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Halacaridae       | <i>Soldanellonyx monardi</i>           | Walter, 1919                 |                                | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Halacaridae       | <i>Soldanellonyx visurgis</i>          | Viets, 1959                  |                                | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Momonidae         | <i>Stygomomania latipes</i>            | Szalay, 1943                 |                                | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Pygmephoridae     | <i>Pygmephorus spinosus</i>            | (Kramer, 1877)               |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Rhagidiidae       | <i>Foveacheles terricola</i>           | (C. L. Koch, 1835)           |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Rhagidiidae       | <i>Poecilophysis faeroensis</i>        | (Trägårdh, 1931)             |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Rhagidiidae       | <i>Poecilophysis recussa</i>           | (Thor, 1909)                 |                                | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Rhagidiidae       | <i>Poecilophysis spelaea</i>           | (Wankel, 1861)               |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Rhagidiidae       | <i>Poecilophysis weyerensis</i>        | (Packard, 1888)              |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Rhagidiidae       | <i>Rhagidia diversicolor</i>           | (C. L. Koch, 1838)           |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Rhagidiidae       | <i>Troglacheles gineti</i>             | (Cooreman, 1959)             |                                | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida | Acari       | Trombidiformes   | Trombiculidae     | <i>Leptotrombidium ruscicum</i>        | (Oudemans, 1902)             | Fledermausohrmilbe             | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Opiliones        | Ischyropsalididae | <i>Ischyropsalis hellwigii</i>         | (Panzer, 1794)               | Schneckenkanker                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Opiliones        | Nemastomatidae    | <i>Mitostoma chrysomelae</i>           | (Hermann, 1804)              | Mitteleuropäischer Fadenkanker | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Opiliones        | Nemastomatidae    | <i>Paranemastoma quadripunctatum</i>   | (Perty, 1833)                | Vierfleckkanker                | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Opiliones        | Phalangidae       | <i>Amilenus aurantiacus</i>            | (Simon, 1881)                | Höhlenlangbein                 | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Opiliones        | Sclerosomatidae   | <i>Leiobunum limbatum</i>              | L. Koch, 1861                | Ziegelrückenkanker             | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Opiliones        | Sclerosomatidae   | <i>Leiobunum religiosum</i>            | Simon, 1879                  | Südlicher Rückenkanker         | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Opiliones        | Sclerosomatidae   | <i>Leiobunum rupestre</i>              | (Herbst, 1799)               | Schwarzrückenkanker            | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Pseudoscorpiones | Chthoniidae       | <i>Chthonius ischnocheles</i>          | (Hermann, 1804)              | Gemeiner Laubskorpion          | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Pseudoscorpiones | Chthoniidae       | <i>Ephippiochthonius boldarii</i>      | (Beier, 1934)                |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Pseudoscorpiones | Chthoniidae       | <i>Ephippiochthonius tetrachelatus</i> | (Preyssl, 1790)              |                                | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Pseudoscorpiones | Neobisiidae       | <i>Neobisium carcinoides</i>           | (Hermann, 1804)              | Mooskorpion                    | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Pseudoscorpiones | Neobisiidae       | <i>Neobisium hermanni</i>              | Beier, 1938                  |                                | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Pseudoscorpiones | Neobisiidae       | <i>Neobisium simile</i>                | (L. Koch, 1873)              |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Dromopoda   | Pseudoscorpiones | Neobisiidae       | <i>Roncus lubricus</i>                 | L. Koch, 1873                |                                | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Agelenidae        | <i>Eratigena atrica</i>                | (C. L. Koch, 1843)           | Große Hauswinkelspinne         | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Agelenidae        | <i>Histopona torpida</i>               | (C. L. Koch, 1837)           | Waldtrichterspinne             | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Agelenidae        | <i>Tegenaria domestica</i>             | (Clerck, 1757)               | Kleine Hauswinkelspinne        | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Agelenidae        | <i>Tegenaria ferruginea</i>            | (Panzer, 1804)               | Rostrote Winkelspinne          | subtroglöphil              |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Agelenidae        | <i>Tegenaria silvestris</i>            | L. Koch, 1872                | Waldwinkelspinne               | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Amaurobiidae      | <i>Amaurobius fenestralis</i>          | (Ström, 1768)                | Wald-Finsterspinne             | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Amaurobiidae      | <i>Amaurobius ferox</i>                | (Walckenaer, 1830)           | Keller-Finsterspinne           | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Dysderidae        | <i>Harpactea hombergi</i>              | (Scopoli, 1763)              | Rindenlangfinger               | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Dysderidae        | <i>Harpactea lepida</i>                | (C. L. Koch, 1838)           | Waldlangfinger                 | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Gnaphosidae       | <i>Drassodex lesserti</i>              | (Schenkel, 1936)             | Lesserts Steinplattenspinne    | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Hahnidae          | <i>Cicurina cicur</i>                  | (Fabricius, 1793)            | Gewöhnliche Winterspinne       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Linyphiidae       | <i>Centromerus cavernarum</i>          | (L. Koch, 1872)              | Höhlen-Moosweberchen           | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Linyphiidae       | <i>Centromerus dilutus</i>             | (O. Pickard-Cambridge, 1875) | Zungen-Moosweberchen           | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Linyphiidae       | <i>Centromerus leruthi</i>             | Fage, 1933                   | Hain-Moosweberchen             | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida | Micrura     | Araneae          | Linyphiidae       | <i>Centromerus prudens</i>             | (O. Pickard-Cambridge, 1873) | Porzellan-Moosweberchen        | eutroglophil               |

| Stamm      | Unterstamm  | Klasse      | Unterklasse | Ordnung       | Familie        | Art   | Beschreiber                  | Trivialnamen                 | Ökologische Klassifikation |
|------------|-------------|-------------|-------------|---------------|----------------|---|------------------------------|------------------------------|----------------------------|
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Diplocephalus cristatus</i>              | (Blackwall, 1833)            | Gewöhnliches Doppelköpfchen  | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Diplocephalus lusiscus</i>               | (Simon, 1872)                | Höhlen-Doppelköpfchen        | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Formiphantes lephthyphantiformis</i>     | (Strand, 1907)               | Kleinhöhlenweber             | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Improphantes improbulus</i>              | (Simon, 1929)                | Höhlen-Gelbbeinweber         | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Lepthyphantes leprosus</i>               | (Ohlert, 1865)               | Haus-Zartweber               | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Lepthyphantes notabilis</i>              | Kulczynski, 1887             | Fels-Zartweber               | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Macrargus rufus</i>                      | (Wider, 1834)                | Gewöhnlicher Streuweber      | subtroglophil              |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Micrargus apertus</i>                    | (O. Pickard-Cambridge, 1871) | Lücken-Zipfelspinnchen       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Micrargus herbigradus</i>                | (Blackwall, 1854)            | Wald-Zipfelspinnchen         | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Palliduphantes pallidus</i>              | (O. Pickard-Cambridge, 1871) | Gewöhnliches Bleichweberchen | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Porrhomma campbelli</i>                  | O. Pickard-Cambridge, 1894   | Stein-Kleinauge              | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Porrhomma convexum</i>                   | (Westring, 1851)             | Großes Kleinauge             | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Porrhomma egeria</i>                     | Simon, 1884                  | Subterrane Kleinauge         | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Porrhomma microphthalamum</i>            | (O. Pickard-Cambridge, 1871) | Aeronauten-Kleinauge         | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Porrhomma microps</i>                    | (Roewer, 1931)               | Bleiches Kleinauge           | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Porrhomma myops</i>                      | Simon, 1884                  | Spalten-Kleinauge            | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Porrhomma pallidum</i>                   | Jackson, 1913                | Bergwald-Kleinauge           | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Porrhomma profundum</i>                  | M. Dahl, 1939                |                              | eutroglobiont              |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Pseudomaro aenigmaticus</i>              | Denis, 1966                  | Falsches Sumpfspinnchen      | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Sairstoa abnormis</i>                    | (Blackwall, 1841)            | Großer Blockwaldweber        | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Tenuiphantes alacris</i>                 | (Blackwall, 1853)            | Berg-Winkelweberchen         | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Tenuiphantes flavipes</i>                | (Blackwall, 1854)            | Schwarzes Winkelweberchen    | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Tenuiphantes mengei</i>                  | (Kulczynski, 1887)           | Kleines Winkelweberchen      | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Linyphiidae    | <i>Tenuiphantes zimmermanni</i>             | (Bertkau, 1890)              | Wald-Winkelweberchen         | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Nesticidae     | <i>Kryptonesticus eremita</i>               | (Simon, 1880)                | Bleiche Höhlenspinne         | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Nesticidae     | <i>Nesticus cellulanus</i>                  | (Clerck, 1757)               | Gefleckte Höhlenspinne       | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Pholcidae      | <i>Pholcus phalangioides</i>                | (Fuesslin, 1775)             | Große Zitterspinne           | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Tetragnathidae | <i>Meta bourneti</i>                        | Simon, 1922                  | Südliche Höhlenspinne        | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Tetragnathidae | <i>Meta menardi</i>                         | (Latreille, 1804)            | Große Höhlenspinne           | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Tetragnathidae | <i>Metellina merianae</i>                   | (Scopoli, 1763)              | Kleine Höhlenspinne          | eutroglophil               |
| Arthropoda | Chelicerata | Arachnida   | Micrura     | Araneae       | Tetragnathidae | <i>Tetragnatha montana</i>                  | Simon, 1874                  | Große Streckerspinne         | subtroglophil              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Acanthocyclops gmeineri</i>              | Pospisil, 1989               |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Acanthocyclops hispanicus</i>            | Kiefer, 1937                 |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Acanthocyclops kieferi</i>               | (Chappuis, 1925)             |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Acanthocyclops rhenanus</i>              | Kiefer, 1936                 |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Acanthocyclops robustus robustus</i>     | (G. O. Sars, 1863)           |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Acanthocyclops sensitivus</i>            | (Graeter & Chappuis, 1914)   |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Acanthocyclops venustus venustus</i>     | (Norman & Scott, 1906)       |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Acanthocyclops vernalis vernalis</i>     | (Fischer, 1853)              |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Cyclops strenuus strenuus</i>            | S. Fischer, 1851             | Gemeiner Hüpferring          | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Cyclops vicinus vicinus</i>              | Uljanin, 1875                |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Diacyclops bicuspidatus bicuspidatus</i> | (Claus, 1857)                |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Diacyclops bisetosus</i>                 | (Rehberg, 1880)              |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Diacyclops crassicaudis crassicaudis</i> | (G. O. Sars, 1863)           |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Diacyclops languidoides languidoides</i> | (Lilleborg, 1901)            |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Diacyclops languidus disjunctus</i>      | (Thallwitz, 1927)            |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Diacyclops languidus languidus</i>       | (G. O. Sars, 1863)           |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Eucyclops graeteri</i>                   | (Chappuis, 1927)             |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Eucyclops serrulatus serrulatus</i>      | (S. Fischer, 1851)           | Sägeschwanzhüpferring        | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Graeteriella laisi</i>                   | (Kiefer, 1936)               |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Graeteriella unisetiger</i>              | (E. Graeter, 1908)           |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Macrocyclops albidus albidus</i>         | (Jurine, 1820)               | Weißer Riesenhüpferring      | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Megacyclops brachypus</i>                | Kiefer, 1955                 |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Megacyclops viridis viridis</i>          | (Jurine, 1820)               | Grüner Hüpferring            | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Paracyclops fimbriatus fimbriatus</i>    | (S. Fischer, 1853)           | Weißer Schlammhüpferring     | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Paracyclops fimbriatus imminutus</i>     | Kiefer, 1929                 |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Paracyclops poppei</i>                   | (Rehberg, 1880)              |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Thermocyclops crassus crassus</i>        | (Fischer, 1853)              |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Cyclopoida    | Cyclopidae     | <i>Tropocyclops prasinus prasinus</i>       | (Fischer, 1860)              |                              | eutroglophil               |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Harpacticoida | Ameiridae      | <i>Nitocrella chappuisi</i>                 | Kiefer, 1926                 |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Harpacticoida | Ameiridae      | <i>Nitocrella omega</i>                     | Hertzog, 1936                |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Harpacticoida | Ameiridae      | <i>Nitocrella tirolensis</i>                | Kiefer, 1963                 |                              | eutroglobiont              |
| Arthropoda | Crustacea   | Hexanauplia | Copepoda    | Harpacticoida | Ameiridae      | <i>Nitokra hibernica hibernica</i>          | (Brady, 1880)                |                              | eutroglophil               |

| Stamm      | Unterstamm | Klasse       | Unterklasse    | Ordnung       | Familie             | Art   | Beschreiber   | Trivialnamen                      | Ökologische Klassifikation |
|------------|------------|--------------|----------------|---------------|---------------------|---|---|-----------------------------------|----------------------------|
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Ameiridae           | <i>Nitokra psammophila</i>                  | Noodt, 1952   |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Attheyella crassa</i>                    | (G. O. Sars, 1863)                                    |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Attheyella dentata dentata</i>           | (Poggenpool, 1874)                                    |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Bryocamptus cuspidatus cuspidatus</i>    | (Schmeil, 1893)                                       |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Bryocamptus echinatus</i>                | (Mrázek, 1893)  |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Bryocamptus hoferi</i>                   | (Van Douwe, 1908)                                     |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Bryocamptus luensis</i>                  | (Schmeil, 1894)                                       |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Bryocamptus minutus minutus</i>          | (Claus, 1863)   | Mooswurm                          | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Bryocamptus pygmaeus pygmaeus</i>        | (G. O. Sars, 1863)                                    |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Bryocamptus typhlops</i>                 | (Mrázek, 1893)  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Bryocamptus weberi</i>                   | (Kessler, 1914)                                       |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Bryocamptus zschokkei tatrensis</i>      | (Minkiewicz, 1916)                                    |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Bryocamptus zschokkei zschokkei</i>      | (Schmeil, 1893)                                       |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Elaphoidella elaphoides</i>              | (Chappuis, 1924)                                      |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Epactophanes richardi richardi</i>       | Mrázek, 1893  |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Moraria brevis</i>                       | (G. O. Sars, 1863)                                    |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Moraria fontinalis</i>                   | Flössner, 1970  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Moraria pectinata</i>                    | Thiébaud & Pelosse, 1928                              |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Moraria poppei</i>                       | (Mrázek, 1893)  |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Moraria varica</i>                       | (E. Graeter, 1911)                                    |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Pesceus schmeili schmeili</i>            | (Mrázek, 1893)  |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Canthocamptidae     | <i>Pilocamptus pilosus</i>                  | (Van Douwe, 1910)                                     |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Chappuisiidae       | <i>Chappuisius inopinus</i>                 | Kiefer, 1938  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Chappuisiidae       | <i>Chappuisius singeri</i>                  | Chappuis, 1940  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Fontinalicaris fontinalis fontinalis</i> | (Schmitter & Chappuis, 1915)                          |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Horstkurtcaris nalli nalli</i>           | (Kiefer, 1938)  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Parastenocaris aedes</i>                 | Hertzog, 1938   |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Parastenocaris brevis</i>                | Kessler, 1913   |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Parastenocaris germanica</i>             | Kiefer, 1936  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Parastenocaris glacialis</i>             | Noodt, 1954   |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Parastenocaris glareola</i>              | Hertzog, 1936   |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Parastenocaris psammica</i>              | Songeur, 1961   |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Proserpinicaris moravica</i>             | (Sterba, 1965)  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Proserpinicaris phyllura</i>             | (Kiefer, 1938)  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Parastenocarididae  | <i>Stammericaris phreatica</i>              | (Chappuis, 1936)                                      |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Hexanauplia  | Copepoda       | Harpacticoida | Phyllognathopodidae | <i>Phyllognathopus viguieri viguieri</i>    | (Maupas, 1892)  |                                   | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Bogidiellidae       | <i>Bogidiella albertmagni</i>               | Hertzog, 1933   |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Crangonyctidae      | <i>Crangonyx subterraneus</i>               | Bate, 1859  | Höhlen-Zwergflohkrebs             | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Gammaridae          | <i>Gammarus fossarum</i>                    | C. L. Koch, 1835                                      | Bachflohkrebs                     | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Gammaridae          | <i>Gammarus pulex</i>                       | (Linnaeus, 1758)                                      | Gemeiner Süßwasserflohkrebs       | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargellus arndti</i>                  | (Schellenberg, 1933)                                  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargellus nalli</i>                   | Schellenberg, 1938                                    |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus aquilex</i>                    | Schödte, 1855   | Höhlenflohkrebs                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus auerbachi</i>                  | Schellenberg, 1934                                    |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus bajuvaricus</i>                | Schellenberg, 1932                                    |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus casparyi</i>                   | Pratz, 1866   |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus enslini</i>                    | Karaman, 1932   |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus fontanus</i>                   | Bate, 1859  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus foreli</i>                     | Humbert, 1876   |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus inopinatus</i>                 | Schellenberg, 1932                                    |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus kieferi</i>                    | Schellenberg, 1936                                    |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus kochianus</i>                  | Bate, 1859  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus laisi</i>                      | Schellenberg, 1936                                    |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus puteanus</i>                   | (C. L. Koch, 1836)                                    | Brunnen-Grundwasserflohkrebs      | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus rhenorhodanensis</i>           | Schellenberg, 1937                                    |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus schellenbergi</i>              | Karaman, 1932   | Schellenberg-Grundwasserflohkrebs | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus strouhali</i>                  | (Schellenberg, 1933)                                  |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus stygius</i>                    | (Schödte, 1848)                                       |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus tatrensis</i>                  | Wrzesniewsky, 1888                                    |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus thienemanni</i>                | Schellenberg, 1934                                    |                                   | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae         | <i>Niphargus tonywhitteni</i>               | Fiser, Alther, Zaksek, Borko, Fuchs & Altermatt, 2018 |                                   | eutroglöbiont              |

| Stamm      | Unterstamm | Klasse       | Unterklasse    | Ordnung       | Familie           | Art  | Beschreiber                 | Trivialnamen             | Ökologische Klassifikation |
|------------|------------|--------------|----------------|---------------|-------------------|--|-----------------------------|--------------------------|----------------------------|
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Niphargidae       | <i>Niphargus virei</i>                       | Chevreaux, 1896             |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Amphipoda     | Pseudoniphargidae | <i>Microniphargus leruthi</i>                | Schellenberg, 1934          |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Bathynellacea | Bathynellidae     | <i>Antrobathynella stammeri</i>              | (Jakobi, 1954)              | Stammers Brunnenkrebs    | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Bathynellacea | Bathynellidae     | <i>Bathynella chappuisi</i>                  | Delachaux, 1920             |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Bathynellacea | Bathynellidae     | <i>Bathynella freiburgensis</i>              | Jakobi, 1954                | Freiburger Brunnenkrebs  | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Bathynellacea | Bathynellidae     | <i>Bathynella haineae</i>                    | Jakobi, 1954                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Bathynellacea | Bathynellidae     | <i>Bathynella natans</i>                     | Vejdovský, 1882             |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Bathynellacea | Bathynellidae     | <i>Bathynella noli</i>                       | Jakobi, 1954                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Bathynellacea | Bathynellidae     | <i>Pseudantrobathynella husmanni</i>         | Schminke, 1988              |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Bathynellacea | Parabathynellidae | <i>Parabathynella badenwuerttembergensis</i> | Fuchs, Hahn & Cho, 2012     |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Armadillidiidae   | <i>Armadillidium nasatum</i>                 | Budde-Lund, 1885            | Nasenkugelassel          | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Armadillidiidae   | <i>Armadillidium pictum</i>                  | Brandt, 1833                | Gefleckte Rollassel      | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Asellidae         | <i>Asellus aquaticus</i>                     | Linnaeus, 1758              | Gemeine Wasserassel      | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Asellidae         | <i>Proasellus cavaticus</i>                  | (Leydig, 1871)              | Höhlenwasserassel        | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Asellidae         | <i>Proasellus coxalis</i>                    | (Dollfus, 1892)             |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Asellidae         | <i>Proasellus noli</i>                       | (Karaman, 1952)             |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Asellidae         | <i>Proasellus slavus</i>                     | (Remy, 1948)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Asellidae         | <i>Proasellus walteri</i>                    | (Chappuis, 1948)            |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Cylistidae        | <i>Cylisticus convexus</i>                   | (De Geer, 1778)             | Kräuselassel             | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Ligiidae          | <i>Ligidium germanicum</i>                   | Verhoeff, 1901              | Sumpfassel               | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Ligiidae          | <i>Ligidium hypnorum</i>                     | (Cuvier, 1792)              | Sumpfassel               | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Mesoniscidae      | <i>Mesoniscus alpicola</i>                   | (Heller, 1858)              |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Oniscidae         | <i>Oniscus asellus</i>                       | Linnaeus, 1758              | Mauerassel               | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Porcellionidae    | <i>Porcellio dilatatus</i>                   | Brandt, 1833                | Breite Körnerassel       | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Porcellionidae    | <i>Porcellio scaber</i>                      | Latreille, 1804             | Kellerassel              | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Porcellionidae    | <i>Porcellio spinicornis</i>                 | Say, 1818                   | Dornfühlerassel          | subtroglöphil              |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Trichoniscidae    | <i>Androniscus dentiger</i>                  | Verhoeff, 1908              | Zahntragende Höhlenassel | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Trichoniscidae    | <i>Androniscus roseus roseus</i>             | (C. L. Koch, 1837)          | Rosa Höhlenassel         | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Trichoniscidae    | <i>Haplophthalmus mengii</i>                 | (Zaddach, 1844)             |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Trichoniscidae    | <i>Hyloniscus riparius</i>                   | (C. L. Koch, 1838)          | Ufer-Zwergassel          | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Trichoniscidae    | <i>Trichoniscoides helveticus</i>            | (Carl, 1908)                | Schweizer Zwergassel     | eutroglöphil               |
| Arthropoda | Crustacea  | Malacostraca | Eumalacostraca | Isopoda       | Trichoniscidae    | <i>Trichoniscus pusillus</i>                 | Brandt, 1833                | Gemeine Zwergassel       | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Candona candida</i>                       | (O. F. Müller, 1776)        | Perlmutter-Muschelkrebs  | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Cryptocandona kieferi</i>                 | (Klie, 1938)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Cryptocandona reducta</i>                 | (Alm, 1914)                 |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Cryptocandona vavrai</i>                  | Kaufmann, 1900              |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Cyclocypris helocrenica</i>               | Fuhrmann & Pietrzenuk, 1990 |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Cypria ophthalmica</i>                    | (Jurine, 1820)              | Augen-Muschelkrebs       | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Fabaeformiscandona angusta</i>            | (Ostermeyer, 1937)          |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Fabaeformiscandona bilobata</i>           | (Klie, 1938)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Fabaeformiscandona bilobatoides</i>       | (Löffler, 1961)             |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Fabaeformiscandona breuilli</i>           | (Paris, 1920)               |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Fabaeformiscandona brevicornis</i>        | (Klie, 1925)                |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Fabaeformiscandona brisiaca</i>           | (Klie, 1938)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Fabaeformiscandona latens</i>             | (Klie, 1940)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Fabaeformiscandona wegolini</i>           | (Petkovski, 1962)           |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Mixtacandona laisi</i>                    | (Klie, 1938)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Neglecandona neglecta</i>                 | (G. O. Sars, 1887)          | Gemeiner Muschelkrebs    | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Pseudocandona albicans</i>                | (Brady, 1864)               |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Pseudocandona marchica</i>                | (Hartwig, 1899)             |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Pseudocandona rostrata</i>                | (Brady & Norman, 1889)      |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Pseudocandona sarsi</i>                   | (Hartwig, 1899)             |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Marmocandona zschokkei</i>                | (Wolf, 1920)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Schellencandona belgica</i>               | (Klie, 1937)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Schellencandona insueta</i>               | (Klie, 1938)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Schellencandona schellenbergi</i>         | (Klie, 1934)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Schellencandona triquetra</i>             | (Klie, 1936)                |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Candonidae        | <i>Typhlocypris eremita</i>                  | (Vejdovský, 1882)           |                          | eutroglöbiont              |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Cyprididae        | <i>Cavernocypris subterranea</i>             | (Wolf, 1920)                |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Cyprididae        | <i>Cypridopsis vidua</i>                     | (O. F. Müller, 1776)        |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Cyprididae        | <i>Eucypris pigra</i>                        | (Fischer, 1851)             |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Cyprididae        | <i>Potamocypris fallax</i>                   | Fox, 1967                   |                          | eutroglöphil               |
| Arthropoda | Crustacea  | Ostracoda    | Podocopa       | Podocopida    | Cyprididae        | <i>Potamocypris fulva</i>                    | (Brady, 1868)               |                          | eutroglöphil               |

| Stamm      | Unterstamm | Klasse     | Unterklasse | Ordnung    | Familie         | Art                                     | Beschreiber               | Trivialnamen                   | Ökologische Klassifikation |
|------------|------------|------------|-------------|------------|-----------------|---|---------------------------|--------------------------------|----------------------------|
| Arthropoda | Crustacea  | Ostracoda  | Podocopa    | Podocopida | Cyprididae      | <i>Potamocypris pallida</i>             | Alm, 1914                 |                                | eutroglophil               |
| Arthropoda | Crustacea  | Ostracoda  | Podocopa    | Podocopida | Cyprididae      | <i>Potamocypris zschokkei</i>           | (Kaufmann, 1900)          |                                | eutroglophil               |
| Arthropoda | Crustacea  | Ostracoda  | Podocopa    | Podocopida | Cyprididae      | <i>Psychrodromus fontinalis</i>         | (Wolf, 1920)              |                                | eutroglophil               |
| Arthropoda | Crustacea  | Ostracoda  | Podocopa    | Podocopida | Cyprididae      | <i>Psychrodromus olivaceus</i>          | (Brady & Norman, 1889)    |                                | eutroglophil               |
| Arthropoda | Crustacea  | Ostracoda  | Podocopa    | Podocopida | Darwinulidae    | <i>Darwinula stevensoni</i>             | (Brady & Robertson, 1870) |                                | eutroglophil               |
| Arthropoda | Crustacea  | Ostracoda  | Podocopa    | Podocopida | Ilyocyprididae  | <i>Ilyocypris inermis</i>               | Kaufmann, 1900            |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Arrhopalitidae  | <i>Arrhopalites bifidus</i>             | Stach, 1945               |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Arrhopalitidae  | <i>Arrhopalites caecus</i>              | (Tullberg, 1871)          |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Arrhopalitidae  | <i>Arrhopalites principalis</i>         | Stach, 1945               |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Arrhopalitidae  | <i>Arrhopalites pygmaeus</i>            | (Wankel, 1860)            | Höhlen-Zwergspringer           | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Arrhopalitidae  | <i>Arrhopalites secundarius</i>         | Gisin, 1958               |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Dicyrtomidae    | <i>Ptenothrix atra</i>                  | (Linnaeus, 1758)          | Schwarzer Spinnenspringer      | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Entomobrya marginata</i>             | (Tullberg, 1871)          | Gewöhnlicher Laufspringer      | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Heteromurus nitidus</i>              | (Templeton, 1835)         |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Lepidocyrtus curvicolis</i>          | Bourlet, 1839             |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Lepidocyrtus cyaneus</i>             | Tullberg, 1871            |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Lepidocyrtus lignorum</i>            | (Fabricius, 1775)         |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Lepidocyrtus violaceus</i>           | (Fourcroy, 1785)          |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella aelleni</i>            | Da Gama, 1973             |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella alba</i>               | (Packard, 1873)           |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella decipiens</i>          | Denis, 1924               |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella denisi</i>             | Gisin, 1954               |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella duodecimpunctata</i>   | Denis, 1931               |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella immaculata</i>         | (Lie-Petersen, 1896)      |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella ksenemani</i>          | Gisin, 1944               |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella lamperti germanica</i> | Da Gama, 1973             |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella lamperti lamperti</i>  | (Schaeffer, 1900)         |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella octopunctata</i>       | Börner, 1901              |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella petterseni</i>         | Börner, 1901              |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella plachteri</i>          | Stomp, 1986               |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella sollaudi</i>           | Denis, 1924               |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella vandeli relicta</i>    | Gisin, 1964               |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Entomobryidae   | <i>Pseudosinella vandeli vandeli</i>    | (Denis, 1923)             |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Ceratophysella armata</i>            | (Nicolet, 1841)           |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Ceratophysella bengtssoni</i>        | (Ågren, 1904)             |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Ceratophysella cavicola</i>          | (Börner, 1901)            |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Hypogastrura burkilli</i>            | (Bagnall, 1940)           |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Hypogastrura franconiana</i>         | (Stach, 1949)             |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Hypogastrura manubrialis</i>         | (Tullberg, 1869)          |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Hypogastrura purpurensens</i>        | (Lubbock, 1867)           | Purpurner Kurzspringer         | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Hypogastrura vernalis</i>            | (Carl, 1901)              |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Schaefferia emucronata</i>           | Absolon, 1900             |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Schaefferia quadrioculata</i>        | (Stach, 1939)             |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Schaefferia sexoculata</i>           | (Gisin, 1947)             |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Hypogastruridae | <i>Schaefferia willemi</i>              | (Bonet, 1930)             |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Isotomidae      | <i>Desoria neglecta</i>                 | (Schäffer, 1900)          |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Isotomidae      | <i>Desoria propinqua</i>                | (Axelson, 1902)           |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Isotomidae      | <i>Folsomia candida</i>                 | Willem, 1902              | Blumentopfspringschwanz        | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Isotomidae      | <i>Folsomia fimetaria</i>               | (Linnaeus, 1758)          |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Isotomidae      | <i>Folsomia inoculata</i>               | Stach, 1947               |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Neanuridae      | <i>Anurida granaria</i>                 | (Nicolet, 1847)           |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Neanuridae      | <i>Neanura muscorum</i>                 | (Templeton, 1835)         | Kurzbeiniger Moosspringschwanz | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Neelidae        | <i>Megalothorax minimus</i>             | Willem, 1900              |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Neelidae        | <i>Neelus murinus</i>                   | Folsom, 1896              |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Onychiuridae    | <i>Deuterapharura cebennaria</i>        | (Gisin, 1956)             |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Onychiuridae    | <i>Deuteraphorura handschini</i>        | (Denis, 1924)             |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Onychiuridae    | <i>Deuteraphorura inermis</i>           | (Tullberg, 1871)          |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Onychiuridae    | <i>Deuteraphorura silvaria</i>          | (Gisin, 1952)             |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Onychiuridae    | <i>Deuteraphorura variabilis</i>        | (Stach, 1954)             |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Onychiuridae    | <i>Kalaphorura heterodoxus</i>          | Gisin, 1964               |                                | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Onychiuridae    | <i>Kalaphorura paradoxus</i>            | (Schäffer, 1900)          |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Onychiuridae    | <i>Micraphorura absoloni</i>            | (Börner, 1901)            |                                | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |             | Collembola | Onychiuridae    | <i>Onychiurus ambulans</i>              | (Linnaeus, 1758)          |                                | eutroglophil               |

| Stamm      | Unterstamm | Klasse     | Unterklasse              | Ordnung               | Familie        | Art  | Beschreiber                  | Trivialnamen                      | Ökologische Klassifikation |
|------------|------------|------------|--------------------------|-----------------------|----------------|--|------------------------------|-----------------------------------|----------------------------|
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Onychiuridae   | <i>Onychiurus dunarius</i>                 | Gisin, 1956                  |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Onychiuridae   | <i>Onychiurus franconianus</i>             | Gisin, 1961                  |                                   | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Onychiuridae   | <i>Onychiurus sibiricus</i>                | (Tullberg, 1876)             |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Onychiuridae   | <i>Protaphorura armata</i>                 | (Tullberg, 1869)             | Gepanzertes Blindspringer         | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Onychiuridae   | <i>Protaphorura prolata</i>                | (Gisin, 1956)                |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Onychiuridae   | <i>Protaphorura quadriocellata</i>         | (Gisin, 1947)                |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Onychiuridae   | <i>Supraphorura furcifera</i>              | (Börner, 1901)               |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Sminthuridae   | <i>Disparhophalites patrizii</i>           | (Cassagnau & Delamare, 1953) |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Tomoceridae    | <i>Plutomurus unidentatus</i>              | (Börner, 1901)               |                                   | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Tomoceridae    | <i>Pogonognathellus flavescens</i>         | (Tullberg, 1871)             | Gelber Ringelhörnler              | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Tomoceridae    | <i>Tomocerus minor</i>                     | (Lubbock, 1862)              | Kleiner Ringelhörnler             | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Tomoceridae    | <i>Tomocerus vulgaris</i>                  | (Tullberg, 1871)             | Gemeiner Ringelhörnler            | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Collembola            | Tullbergiidae  | <i>Mesaphorura krausbaueri</i>             | Börner, 1901                 | Krausbauers Blindspringer         | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Diplura               | Campodeidae    | <i>Campodea lankesteri</i>                 | Silvestri, 1912              |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Diplura               | Campodeidae    | <i>Campodea wallacei</i>                   | Bagnall, 1918                |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Entognatha |                          | Diplura               | Campodeidae    | <i>Litocampa humilis</i>                   | (Condé, 1948)                |                                   | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |                          | Diplura               | Campodeidae    | <i>Plusiocampa dohbi</i>                   | Condé, 1975                  |                                   | eutroglobiont              |
| Arthropoda | Hexapoda   | Entognatha |                          | Diplura               | Campodeidae    | <i>Plusiocampa inopinata</i>               | Sendra & Weber, 2018         | Schallsinger Höhlen-Doppelschwanz | eutroglobiont              |
| Arthropoda | Hexapoda   | Insecta    | Archaeognatha [subclass] | Archaeognatha [order] | Machilidae     | <i>Dilta hibernica</i>                     | (Carpenter, 1907)            | Kurzfühler-Felsenspringer         | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Carabidae      | <i>Sphodrus leucophthalmus</i>             | (Linnaeus, 1758)             | Kellerlaufkäfer                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Carabidae      | <i>Trechablemus micros</i>                 | (Herbst, 1784)               | Bräunlicher Haarflinkläufer       | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cerylonidae    | <i>Cerylon ferrugineum</i>                 | Stephens, 1830               |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Apocatops nigrita</i>                   | (Erichson, 1837)             |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Catops coracinus</i>                    | Kellner, 1846                |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Catops fuliginosus</i>                  | Erichson, 1837               |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Catops fuscus</i>                       | (Panzer, 1794)               |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Catops longulus</i>                     | Kellner, 1846                | Langer Nestkäfer                  | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Catops morio</i>                        | (Fabricius, 1792)            |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Catops nigricans</i>                    | (Spence, 1813)               |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Catops picipes</i>                      | (Fabricius, 1787)            |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Catops subfuscus</i>                    | Kellner, 1846                |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Catops tristis tristis</i>              | (Panzer, 1794)               | Dunkler Moderknopfkäfer           | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Choleva cisteloides</i>                 | (Frölich, 1799)              |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Choleva elongata</i>                    | (Paykull, 1789)              |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Choleva glauca</i>                      | Britten, 1918                | Blaugrauer Nestkäfer              | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Choleva oblonga</i>                     | Latreille, 1807              |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Choleva reitteri</i>                    | Petri, 1915                  |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Choleva septentrionis halsatica</i>     | Benick & Ihssen, 1937        | Segeberger Höhlenkäfer            | eutroglobiont              |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Choleva septentrionis sokolowskii</i>   | Ipsen & Tolasch, 1997        | Hohlstein-Höhlenkäfer             | eutroglobiont              |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Choleva spadicea</i>                    | (Sturm, 1839)                |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cholevidae     | <i>Scioldrepoides watsoni</i>              | (Spence, 1813)               |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Cryptophagidae | <i>Caenoscelis subdeplanata</i>            | Brisout de Barneville, 1882  |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Dytiscidae     | <i>Hydroporus ferrugineus</i>              | Stephens, 1828               | Kugel-Schwimmkäfer                | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Endomychidae   | <i>Mycetaea subterranea</i>                | (Fabricius, 1801)            |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Leptinidae     | <i>Leptinus testaceus</i>                  | Müller, 1817                 | Mausflohkäfer, Mäusekäfer         | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Aloconota insecta</i>                   | (Thomson, 1856)              |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Atheta fungi</i>                        | (Gruenhorst, 1806)           |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Atheta trinotata</i>                    | (Kraatz, 1856)               |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Bisnius cephalotes</i>                  | (Gruenhorst, 1802)           |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Coprophilus striatulus</i>              | (Fabricius, 1793)            |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Lesteva longoelytrata longoelytrata</i> | (Goeze, 1777)                |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Ochtheophilus aureus</i>                | (Fauvel, 1871)               |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Omalium rivulare</i>                    | (Paykull, 1789)              | Gemeiner Kleinkurzkäfer           | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Omalium validum</i>                     | Kraatz, 1858                 |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Othius punctulatus</i>                  | (Goeze, 1777)                |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Proteinus brachypterus</i>              | (Fabricius, 1792)            | Plump räuber                      | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Proteinus ovalis</i>                    | Stephens, 1834               |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Quedius mesomelinus</i>                 | (Marsham, 1802)              | Höhlen-Raubkäfer                  | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Sepedophilus testaceus</i>              | (Fabricius, 1793)            |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Syntomium aeneum</i>                    | P. Müller, 1821              |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Tachinus rufipennis</i>                 | Gyllenhal, 1810              |                                   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta    | Pterygota                | Coleoptera            | Staphylinidae  | <i>Tachinus subterraneus</i>               | (Linnaeus, 1758)             |                                   | eutroglophil               |

| Stamm      | Unterstamm | Klasse  | Unterklasse | Ordnung    | Familie         | Art                                 | Beschreiber               | Trivialnamen                  | Ökologische Klassifikation |
|------------|------------|---------|-------------|------------|-----------------|-------------------------------------|---------------------------|-------------------------------|----------------------------|
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Coleoptera | Staphylinidae   | <i>Xylodromus concinnus</i>         | (Marshall, 1802)          |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Bolitophilidae  | <i>Bolitophila cinerea</i>          | (Meigen, 1818)            | Gemeine Höhlen-Schmutzmücke   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Bolitophilidae  | <i>Bolitophila maculipennis</i>     | (Walker, 1836)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Bolitophilidae  | <i>Bolitophila saundersii</i>       | (Curtis, 1836)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Bolitophilidae  | <i>Bolitophila spiniqera</i>        | (Edwards, 1925)           |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Culicidae       | <i>Culex pipiens molestus</i>       | (Forsk., 1775)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Culicidae       | <i>Culex pipiens pipiens</i>        | (Linnaeus, 1758)          | Gemeine Stechmücke            | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Culicidae       | <i>Culex torrentium</i>             | (Martini, 1925)           |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Culicidae       | <i>Culiseta alaskaensis</i>         | (Ludlow, 1906)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Culicidae       | <i>Culiseta annulata</i>            | (Schrank, 1776)           | Große Hausmücke               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Culicidae       | <i>Culiseta glaphyroptera</i>       | (Schiner, 1864)           |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Eccoptomera emarginata</i>       | (Loew, 1862)              |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Eccoptomera obscura</i>          | (Meigen, 1830)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Eccoptomera pallescens</i>       | (Meigen, 1830)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Gymnomus caesius</i>             | (Meigen, 1830)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Gymnomus czernyi</i>             | (Papp & Woznica, 1993)    |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Gymnomus soosi</i>               | (Papp & Woznica, 1993)    |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Gymnomus spectabilis</i>         | (Loew, 1862)              |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Heleomyza captiosa</i>           | (Gorodkov, 1962)          | Gemeine Höhlen-Scheuffliege   | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Heleomyza modesta</i>            | (Meigen, 1835)            |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Heleomyza serrata</i>            | (Linnaeus, 1758)          | Dunkle Höhlen-Scheuffliege    | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Heteromyza atricornis</i>        | (Meigen, 1830)            | Schwarzhörnige Schattenfliege | eutroglobiont              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Oecothea fenestralis</i>         | (Fallén, 1820)            |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Oecothea praecox</i>             | (Loew, 1862)              |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Scolioptera amplicornis</i>      | (Czerny, 1924)            |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Scolioptera brachyptera</i>      | (Loew, 1873)              |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Scolioptera dupliciseta</i>      | (Strobl, 1894)            |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Heleomyzidae    | <i>Scolioptera villosa</i>          | (Meigen, 1830)            | Große Höhlen-Scheuffliege     | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Keroplattidae   | <i>Macrocera lutea</i>              | (Meigen, 1804)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Keroplattidae   | <i>Orfelia fasciata</i>             | (Meigen, 1804)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Limonidae       | <i>Limonia nubeculosa</i>           | (Meigen, 1804)            | Gemeine Höhlenstelzmücke      | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Limonidae       | <i>Lipsothrix remota</i>            | (Walker, 1848)            |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Lonchopteriidae | <i>Lonchoptera strabli</i>          | (de Meijere, 1906)        |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Lonchopteriidae | <i>Lonchoptera tristis</i>          | (Meigen, 1824)            | Dunkle Lanzenfliege           | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechia contaminata</i>          | (Winnertz, 1863)          |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechia dizona</i>               | (Edwards, 1925)           |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechia exigua</i>               | (Lundström, 1909)         |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechia festiva</i>              | (Winnertz, 1863)          |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechia fusca</i>                | (Meigen, 1804)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechiopsis clypeata</i>         | (Lundström, 1911)         |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechiopsis fimbriata</i>        | (Lundström, 1909)         |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechiopsis indecisa</i>         | (Walker, 1856)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechiopsis intersecta</i>       | (Meigen, 1818)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechiopsis jenkinsoni</i>       | (Edwards, 1925)           |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechiopsis lackschewitziana</i> | (Stackelberg, 1948)       |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechiopsis magnicauda</i>       | (Lundström, 1911)         |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Exechiopsis subulata</i>         | (Winnertz, 1863)          |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Mycetophila ichneumonea</i>      | (Say, 1823)               |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Mycetophila ornata</i>           | (Stephens, 1832)          |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Mycetophila unipunctata</i>      | (Meigen, 1818)            |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Phronia forcipula</i>            | (Winnertz, 1863)          |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Rymosia fasciata</i>             | (Meigen, 1804)            | Kleine Streifen-Pilzmücke     | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Rymosia placida</i>              | (Winnertz, 1863)          |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Speolepta leptogaster</i>        | (Winnertz, 1863)          | Höhlenpilzmücke               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Tarnania dziedickii</i>          | (Edwards, 1941)           |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Tarnania fenestralis</i>         | (Meigen, 1818)            |                               | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Tarnania nemoralis</i>           | (Edwards, 1941)           | Große Waldpilzmücke           | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Mycetophilidae  | <i>Tarnania tarnanii</i>            | (Dziedzicki, 1909)        |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Nycteriidae     | <i>Basilina nana</i>                | (Theodor & Moscona, 1954) |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Nycteriidae     | <i>Basilina nattereri</i>           | (Kolenati, 1857)          |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Nycteriidae     | <i>Nycteribia kolenatii</i>         | (Theodor & Moscona, 1954) | Kolenatis Fledermausfliege    | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Nycteriidae     | <i>Nycteribia latreillei</i>        | (Leach, 1817)             |                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera    | Nycteriidae     | <i>Nycteribia schmidlii</i>         | (Schiner, 1853)           |                               | subtroglöphil              |

| Stamm      | Unterstamm | Klasse  | Unterklasse | Ordnung | Familie        | Art                              | Beschreiber             | Trivialnamen                | Ökologische Klassifikation |
|------------|------------|---------|-------------|---------|----------------|----------------------------------|-------------------------|-----------------------------|----------------------------|
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Nycteribiidae  | <i>Nycteribia vexata</i>         | Westwood, 1835          |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Nycteribiidae  | <i>Penicillidia dufourii</i>     | (Westwood, 1835)        |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Nycteribiidae  | <i>Phthiridium biarticulatum</i> | (Hermann, 1804)         |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia albicaudata</i>     | (Wood, 1910)            |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia ciliata</i>         | (Zetterstedt, 1848)     |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia costalis</i>        | (Von Roser, 1840)       |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia lutescens</i>       | (Wood, 1910)            |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia melanocephala</i>   | (Von Roser, 1840)       |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia pleuralis</i>       | (Wood, 1909)            |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia posticata</i>       | (Strobl, 1898)          |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia pulicaria</i>       | (Fallén, 1823)          |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia rufipes</i>         | (Meigen, 1804)          |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia sericata</i>        | Schmitz, 1935           |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia tenebricola</i>     | Schmitz, 1934           |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Megaselia vernalis</i>        | (Wood, 1909)            |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Triphleba antricola</i>       | (Schmitz, 1918)         | Höhlen-Buckelfliege         | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Triphleba aptina</i>          | (Schiner, 1853)         |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Triphleba distinguenda</i>    | (Strobl, 1892)          |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Phoridae       | <i>Triphleba hyalinata</i>       | (Meigen, 1830)          |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Psychodidae    | <i>Psychoda albipennis</i>       | Zetterstedt, 1850       |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Psychodidae    | <i>Psychoda cinerea</i>          | Banks, 1894             | Gemeine Schmetterlingsmücke | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Psychodidae    | <i>Psychoda gemina</i>           | (Eaton, 1904)           |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Psychodidae    | <i>Psychoda lobata</i>           | Tonnoir, 1940           |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Psychodidae    | <i>Psychoda phalaenoides</i>     | Linnaeus, 1758          | Abtrittsfliege              | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Psychodidae    | <i>Psychoda surcoufi</i>         | Tonnoir, 1922           |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Bradysia cavernicola</i>      | Mohrig & Eckert, 1999   |                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Bradysia farficulata</i>      | (Bezzi, 1914)           | Gemeine Höhlen-Trauermücke  | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Bradysia placida</i>          | (Winnertz, 1867)        |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Campochaeta ofenkaulis</i>    | (Lengersdorf, 1925)     |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Campochaeta scanica</i>       | Hippa & Vilkamaa, 1994  |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Corynoptera antennaria</i>    | Menzel & Heller, 2013   |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Corynoptera cavipes</i>       | Mohrig, 1993            |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Corynoptera setosa</i>        | Freeman, 1983           |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Corynoptera spoeckeri</i>     | (Lengersdorf, 1930)     |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Corynoptera subfripata</i>    | Mohrig & Menzel, 1990   |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Cratyna breviflagellata</i>   | (Mohrig & Mamaev, 1985) |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Epidapus atomarius</i>        | (De Geer, 1778)         | Boden-Trauermücke           | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Epidapus schillei</i>         | (Börner, 1903)          |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Leptosciarella defecta</i>    | (Strobl, 1910)          |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Leptosciarella rejecta</i>    | (Winnertz, 1867)        |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Lycoriella cellaris</i>       | (Lengersdorf, 1934)     |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Lycoriella felix</i>          | (Schmitz, 1919)         |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Lycoriella ingenua</i>        | (Dufour, 1839)          |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Lycoriella weberi</i>         | Heller & Menzel, 2013   |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Phyxia scabiei</i>            | (Hopkins, 1895)         |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sciaridae      | <i>Scatopsiara atomaria</i>      | (Zetterstedt, 1851)     |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Apteromyia claviventris</i>   | (Strobl, 1909)          |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Crumomyia fimetaria</i>       | (Meigen, 1830)          |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Crumomyia glabrifrons</i>     | (Meigen, 1830)          | Glänzende Dungfliege        | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Crumomyia nigra</i>           | (Meigen, 1830)          | Schwarze Dungfliege         | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Crumomyia nitida</i>          | (Meigen, 1830)          |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Crumomyia notabilis</i>       | (Collin, 1902)          |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Crumomyia rohaceki</i>        | Norrbom & Kim, 1985     |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Crumomyia roserii</i>         | (Röndani, 1880)         |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Gigalimosina flaviceps</i>    | (Zetterstedt, 1847)     |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Herniosina bequaerti</i>      | (Villeneuve, 1917)      |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Herniosina pollex</i>         | Rohacek, 1993           |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Leptocera caenosa</i>         | (Röndani, 1880)         |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Limosina silvatica</i>        | (Meigen, 1830)          |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Spelobia clunipes</i>         | (Meigen, 1830)          |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Spelobia manicata</i>         | (RichardS, 1927)        |                             | eutroglolobiont            |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Spelobia pseudonivalis</i>    | (Dahl, 1909)            |                             | subtroglophil              |
| Arthropoda | Hexapoda   | Insecta | Pterygota   | Diptera | Sphaeroceridae | <i>Spelobia pseudosetaria</i>    | (Duda, 1918)            |                             | subtroglophil              |

| Stamm      | Unterstamm | Klasse    | Unterklasse       | Ordnung           | Familie          | Art                               | Beschreiber                    | Trivialnamen                                       | Ökologische Klassifikation |
|------------|------------|-----------|-------------------|-------------------|------------------|-----------------------------------|--------------------------------|--|----------------------------|
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Diptera           | Sphaeroceridae   | <i>Spelobia talparum</i>          | (Richards, 1927)               |  | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Diptera           | Sphaeroceridae   | <i>Telamerina flavipes</i>        | (Meigen, 1830)                 |  | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Diptera           | Sphaeroceridae   | <i>Terrilimosina racovitzae</i>   | (Bezzi, 1911)                  |  | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Diptera           | Sphaeroceridae   | <i>Terrilimosina schmitzi</i>     | (Duda, 1918)                   |  | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Diptera           | Syrphidae        | <i>Eristalis tenax</i>            | (Linnaeus, 1758)               | Mistbiene  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Diptera           | Trichoceridae    | <i>Trichocera maculipennis</i>    | Meigen, 1818                   | Gefleckte Wintermücke                              | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Diptera           | Trichoceridae    | <i>Trichocera regelationis</i>    | (Linnaeus, 1758)               | Frühlings-/Wintermücke                             | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Hemiptera         | Veliidae         | <i>Velia caprai</i>               | Tamanini, 1947                 | Großer Bachläufer                                  | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Hymenoptera       | Ichneumonidae    | <i>Amblyteles armatorius</i>      | (Förster, 1771)                | Gelbe Schlupfwespe                                 | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Hymenoptera       | Ichneumonidae    | <i>Diphys palliatorius</i>        | (Gravenhorst, 1829)            |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Hymenoptera       | Ichneumonidae    | <i>Diphys quadripunctarius</i>    | (O. F. Müller, 1776)           | Vierfleck-Höhenschlupfwespe                        | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Hymenoptera       | Ichneumonidae    | <i>Exephanes ischiathanus</i>     | (Gravenhorst, 1829)            | Gebänderte Höhenschlupfwespe                       | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Hymenoptera       | Ichneumonidae    | <i>Exephanes rhenanus</i>         | Habermehl, 1918                |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Hymenoptera       | Ichneumonidae    | <i>Exephanes riesei</i>           | (Habermehl, 1916)              |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Hymenoptera       | Proctotrupidae   | <i>Exallonyx longicornis</i>      | (Nees, 1834)                   | Langhorn-Zehrwespe                                 | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Lepidoptera       | Alucitidae       | <i>Alucita hexadactyla</i>        | Linnaeus, 1758                 | Geißblattgeistchen                                 | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Lepidoptera       | Elachistidae     | <i>Agonopterix arenella</i>       | (Denis & Schiffermüller, 1775) |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Lepidoptera       | Elachistidae     | <i>Agonopterix heracliana</i>     | (Linnaeus, 1758)               |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Lepidoptera       | Erebidae         | <i>Scoliopteryx libatrix</i>      | (Linnaeus, 1758)               | Zackeneule   | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Lepidoptera       | Geometridae      | <i>Triphosa dubitata</i>          | (Linnaeus, 1758)               | Olivbrauner Höhlenspanner,<br>Wegdornschaner       | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Lepidoptera       | Geometridae      | <i>Triphosa sabaudiata</i>        | (Duponchel, 1830)              | Gelblichgrauer Höhlenspanner                       | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Lepidoptera       | Glyphipterigidae | <i>Digitivalva granitella</i>     | (Treitschke, 1833)             |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Lepidoptera       | Nymphalidae      | <i>Aglais io</i>                  | (Linnaeus, 1758)               | Tagpfauenauge                                      | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Lepidoptera       | Nymphalidae      | <i>Aglais urticae</i>             | (Linnaeus, 1758)               | Kleiner Fuchs                                      | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Lepidoptera       | Tineidae         | <i>Monopsis laevigella</i>        | (Denis & Schiffermüller, 1775) |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Orthoptera        | Rhaphidophoridae | <i>Troglophilus neglectus</i>     | Krauss, 1879                   | Bedornete Höhlenschrecke, Krauss'<br>Höhenschrecke | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Psocodea          | Episocidae       | <i>Bertkaia lucifuga</i>          | (Rambur, 1842)                 | Felsen-Staublaus                                   | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Psocodea          | Prionoglarididae | <i>Prionoglaris stygia</i>        | Enderlein, 1909                |  | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Psocodea          | Psyllipsocidae   | <i>Psyllipsocus ramburii</i>      | Sélyis-Longchamps, 1872        |  | eutroglophil               |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ceratophyllidae  | <i>Ceratophyllus sciurorum</i>    | (Schrank, 1803)                | Eichhörnchenfloh                                   | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ceratophyllidae  | <i>Paraceras melis melis</i>      | (Walker, 1856)                 | Dachsfloh  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ischnopsyllidae  | <i>Ischnopsyllus hexactenus</i>   | (Kolenati, 1856)               |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ischnopsyllidae  | <i>Ischnopsyllus intermedius</i>  | (Rothschild, 1898)             | Gemeiner Fledermaus-Floh                           | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ischnopsyllidae  | <i>Ischnopsyllus mysticus</i>     | Jordan, 1942                   |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ischnopsyllidae  | <i>Ischnopsyllus octactenus</i>   | (Kolenati, 1856)               |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ischnopsyllidae  | <i>Ischnopsyllus simplex</i>      | (Rothschild, 1906)             |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ischnopsyllidae  | <i>Ischnopsyllus variabilis</i>   | (Wagner, 1898)                 |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ischnopsyllidae  | <i>Nycteridopsylla dictena</i>    | (Kolenati, 1856)               |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ischnopsyllidae  | <i>Nycteridopsylla longiceps</i>  | Rothschild, 1908               |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Ischnopsyllidae  | <i>Nycteridopsylla pentactena</i> | (Kolenati, 1856)               |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Vermipsyllidae   | <i>Chaetopsylla globiceps</i>     | (Taschenberg, 1880)            | Fuchsfloh  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Siphonaptera      | Vermipsyllidae   | <i>Chaetopsylla trichosa</i>      | Kohaut, 1903                   | Dachsfloh  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Trichoptera       | Limnephilidae    | <i>Micropterna lateralis</i>      | (Stephens, 1837)               |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Trichoptera       | Limnephilidae    | <i>Micropterna nycterobia</i>     | McLachlan, 1875                | Höhlen-Köcherjungfer                               | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Trichoptera       | Limnephilidae    | <i>Micropterna sequax</i>         | McLachlan, 1875                |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Trichoptera       | Limnephilidae    | <i>Micropterna testacea</i>       | (Gmelin, 1789)                 |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Trichoptera       | Limnephilidae    | <i>Stenophylax mitis</i>          | McLachlan, 1875                |  | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Trichoptera       | Limnephilidae    | <i>Stenophylax permistus</i>      | McLachlan, 1895                | Quell-Köcherjungfer                                | subtroglöphil              |
| Arthropoda | Hexapoda   | Insecta   | Pterygota         | Trichoptera       | Limnephilidae    | <i>Stenophylax vibex</i>          | (Curtis, 1834)                 |  | subtroglöphil              |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Geophilomorpha    | Linotaeniidae    | <i>Strigamia acuminata</i>        | (Leach, 1815)                  | Spitzer Erdläufer                                  | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Geophilomorpha    | Linotaeniidae    | <i>Strigamia crassipes</i>        | (C. L. Koch, 1835)             |  | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Geophilomorpha    | Schendylidae     | <i>Schendyla nemorensis</i>       | (C. L. Koch, 1837)             |  | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Lithobiomorpha    | Lithobiidae      | <i>Lithobius aeruginosus</i>      | L. Koch, 1862                  |  | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Lithobiomorpha    | Lithobiidae      | <i>Lithobius crassipes</i>        | L. Koch, 1862                  |  | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Lithobiomorpha    | Lithobiidae      | <i>Lithobius forcifatus</i>       | (Linnaeus, 1758)               | Brauner Steinläufer                                | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Lithobiomorpha    | Lithobiidae      | <i>Lithobius lucifugus</i>        | L. Koch, 1862                  |  | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Lithobiomorpha    | Lithobiidae      | <i>Lithobius macilentus</i>       | L. Koch, 1862                  |  | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Lithobiomorpha    | Lithobiidae      | <i>Lithobius nadulipes</i>        | Latzel, 1880                   |  | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Lithobiomorpha    | Lithobiidae      | <i>Lithobius piceus</i>           | L. Koch, 1862                  | Schwarzer Steinläufer                              | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Lithobiomorpha    | Lithobiidae      | <i>Lithobius tricuspis</i>        | Meinert, 1872                  |  | eutroglophil               |
| Arthropoda | Myriapoda  | Chilopoda | Pleurostigmophora | Scolopendromorpha | Cryptopidae      | <i>Cryptops parisi</i>            | Brölemann, 1920                | Paris-Blindläufer                                  | eutroglophil               |

| Stamm      | Unterstamm | Klasse         | Unterklasse  | Ordnung       | Familie              | Art  | Beschreiber                     | Trivialnamen                           | Ökologische Klassifikation |
|------------|------------|----------------|--------------|---------------|----------------------|--|---------------------------------|--|----------------------------|
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Chordeumatida | Brachychaeteumatidae | <i>Brachychaeteuma bagnalli</i>                | Verhoeff, 1911                  |  | eutroglöbiont              |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Chordeumatida | Brachychaeteumatidae | <i>Brachychaeteuma bradeae</i>                 | (Brölemann & Brade-Birks, 1917) | Weißer Spaltendoppelfüßer              | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Chordeumatida | Chordeumatidae       | <i>Chordeuma sylvestre</i>                     | C. L. Koch, 1847                | Einreihiger Glattsamenfüßer            | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Chordeumatida | Chordeumatidae       | <i>Melogona gallica</i>                        | (Latzel, 1884)                  |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Chordeumatida | Chordeumatidae       | <i>Melogona voigti</i>                         | (Verhoeff, 1899)                |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Chordeumatida | Chordeumatidae       | <i>Mycogona germanica</i>                      | (Verhoeff, 1892)                |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Chordeumatida | Craspedosomatidae    | <i>Craspedosoma rawlinsii</i>                  | Leach, 1815                     | Bunter Höckersamenfüßer                | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Chordeumatida | Haeseidae            | <i>Xylophageuma vomrathi</i>                   | Verhoeff, 1911                  |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Glomerida     | Glomeridae           | <i>Glomeris hexasticha</i>                     | Brandt, 1833                    | Östlicher Sechsstreifen-Saftkugler     | subtroglöphil              |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Glomerida     | Glomeridae           | <i>Glomeris marginata</i>                      | (Villers, 1789)                 | Gemeiner Saftkugler                    | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Glomerida     | Glomeridae           | <i>Glomeris undulata</i>                       | C. L. Koch, 1844                | Gesprenkelter Saftkugler               | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Blaniulidae          | <i>Archiboreoiulus pallidus</i>                | (Brade-Birks, 1920)             |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Blaniulidae          | <i>Blaniulus guttulatus</i>                    | (Fabricius, 1798)               | Getüpfelter Tausendfuß                 | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Blaniulidae          | <i>Choneiulus palmatus</i>                     | (Nemec, 1895)                   |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Blaniulidae          | <i>Proteroiulus fuscus</i>                     | (Am Stein, 1857)                | Kielaugen-Schnurfüßer                  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Julidae              | <i>Allajulus nitidus</i>                       | (Verhoeff, 1891)                | Messerschwanz-Schnurfüßer              | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Julidae              | <i>Cylindroiulus punctatus</i>                 | (Leach, 1815)                   |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Julidae              | <i>Cylindroiulus vulnerarius</i>               | (Berlese, 1888)                 |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Julidae              | <i>Julus scandinavus</i>                       | (Latzel, 1884)                  |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Julidae              | <i>Nopoiulus kochii</i>                        | (Gervais, 1847)                 |  | subtroglöphil              |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Julidae              | <i>Tachypodiulus niger</i>                     | (Leach, 1814)                   | Schwarzer Schnurfüßer                  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Julida        | Julidae              | <i>Typhloiulus seewaldi</i>                    | (Strasser, 1967)                |  | eutroglöbiont              |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Polydesmida   | Polydesmidae         | <i>Brachydesmus superus</i>                    | (Latzel, 1884)                  | Gemeiner Kleiner Bandfüßer             | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Polydesmida   | Polydesmidae         | <i>Polydesmus angustus</i>                     | (Latzel, 1884)                  | Großer Westlicher Bandfüßer            | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Polydesmida   | Polydesmidae         | <i>Polydesmus complanatus</i>                  | (Linnaeus, 1761)                |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Polydesmida   | Polydesmidae         | <i>Polydesmus denticulatus</i>                 | C. L. Koch, 1847                | Sommer-Bandfüßer                       | subtroglöphil              |
| Arthropoda | Myriapoda  | Diplopoda      | Chilognatha  | Polydesmida   | Polydesmidae         | <i>Propolydesmus testaceus</i>                 | C. L. Koch, 1847                | Rundflügel-Bandfüßer                   | eutroglöphil               |
| Arthropoda | Myriapoda  | Symphyla       |              |               | Scolopendrellidae    | <i>Symphylella major</i>                       | Scheller, 1961                  |  | eutroglöphil               |
| Arthropoda | Myriapoda  | Symphyla       |              |               | Scutigerellidae      | <i>Scutigerella immaculata</i>                 | (Newport, 1845)                 | Weißer Zwergläufer                     | eutroglöphil               |
| Chordata   | Vertebrata | Actinopterygii | Neopterygii  | Cypriniformes | Nemacheilidae        | <i>Barbatula barbatula</i>                     | (Linnaeus, 1758)                | Bachscherle                            | eutroglöphil               |
| Chordata   | Vertebrata | Actinopterygii | Neopterygii  | Perciformes   | Cottidae             | <i>Cottus gobio</i>                            | Linnaeus, 1758                  | Groppe                                 | eutroglöphil               |
| Chordata   | Vertebrata | Amphibia       |              | Anura         | Bufoinidae           | <i>Bufo bufo</i>                               | (Linnaeus, 1758)                | Erdkröte                               | subtroglöphil              |
| Chordata   | Vertebrata | Amphibia       |              | Anura         | Ranidae              | <i>Rana temporaria</i>                         | Linnaeus, 1758                  | Grasfrosch                             | subtroglöphil              |
| Chordata   | Vertebrata | Amphibia       |              | Caudata       | Proteidae            | <i>Proteus anguinus</i>                        | (Laurenti, 1768)                | Grottenolm                             | eutroglöbiont              |
| Chordata   | Vertebrata | Amphibia       |              | Caudata       | Salamandridae        | <i>Ichthyosaura alpestris</i>                  | (Laurenti, 1768)                | Bergmolch                              | subtroglöphil              |
| Chordata   | Vertebrata | Amphibia       |              | Caudata       | Salamandridae        | <i>Lissotriton vulgaris</i>                    | (Linnaeus, 1758)                | Teichmolch                             | subtroglöphil              |
| Chordata   | Vertebrata | Amphibia       |              | Caudata       | Salamandridae        | <i>Salamandra salamandra salamandra</i>        | (Linnaeus, 1758)                | Gepunkteter Feuersalamander            | eutroglöphil               |
| Chordata   | Vertebrata | Amphibia       |              | Caudata       | Salamandridae        | <i>Salamandra salamandra terrestris</i>        | Lacépède, 1788                  | Gestreifter Feuersalamander            | eutroglöphil               |
| Chordata   | Vertebrata | Amphibia       |              | Caudata       | Salamandridae        | <i>Triturus cristatus</i>                      | (Laurenti, 1768)                | Kammolch                               | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Carnivora     | Canidae              | <i>Vulpes vulpes</i>                           | (Linnaeus, 1758)                | Rotfuchs                               | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Carnivora     | Mustelidae           | <i>Meles meles</i>                             | (Linnaeus, 1758)                | Europäischer Dachs                     | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Carnivora     | Procyonidae          | <i>Procyon lotor</i>                           | (Linnaeus, 1758)                | Waschbär                               | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Rhinolophidae        | <i>Rhinolophus ferrumequinum ferrumequinum</i> | (Schreber, 1774)                | Große Hufeisennase                     | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Rhinolophidae        | <i>Rhinolophus hipposideros hipposideros</i>   | (Borkhausen, 1797)              | Kleine Hufeisennase                    | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Barbastella barbastellus barbastellus</i>   | (Schreber, 1774)                | Mopsfledermaus                         | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Eptesicus nilssonii</i>                     | (Keyserling & Blasius, 1839)    | Nordfledermaus                         | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Eptesicus serotinus serotinus</i>           | (Schreber, 1774)                | Breitflügel-Fledermaus                 | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Myotis bechsteinii</i>                      | (Kuhl, 1817)                    | Bechsteinfledermaus                    | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Myotis brandtii</i>                         | (Eversmann, 1845)               | Brandtfledermaus, Große Bartfledermaus | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Myotis dasycneme</i>                        | (Boie, 1825)                    | Teichfledermaus                        | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Myotis daubentonii</i>                      | (Kuhl, 1817)                    | Wasserfledermaus                       | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Myotis emarginatus emarginatus</i>          | (E. Geoffroy, 1806)             | Wimperfledermaus                       | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Myotis myotis myotis</i>                    | (Borkhausen, 1797)              | Großes Mausohr                         | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Myotis mystacinus mystacinus</i>            | (Kuhl, 1817)                    | Kleine Bartfledermaus                  | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Myotis nattereri nattereri</i>              | (Kuhl, 1817)                    | Fransenfledermaus                      | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Pipistrellus pipistrellus pipistrellus</i>  | (Schreber, 1774)                | Zwergfledermaus                        | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Plecotus auritus auritus</i>                | (Linnaeus, 1758)                | Braunes Langohr                        | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Plecotus austriacus</i>                     | (J. B. Fischer, 1829)           | Graues Langohr                         | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Chiroptera    | Vespertilionidae     | <i>Vespertilio murinus murinus</i>             | Linnaeus, 1758                  | Zweifarb-Fledermaus                    | subtroglöphil              |
| Chordata   | Vertebrata | Mammalia       | Theria       | Rodentia      | Gliridae             | <i>Glis glis</i>                               | (Linnaeus, 1766)                | Siebenschläfer                         | subtroglöphil              |
| Cnidaria   |            | Hydrozoa       | Hydroidolina | Anthoathecata | Hydridae             | <i>Hydra oligactis f. subterranea</i>          | P. Schulze, 1917                |  | eutroglöbiont              |
| Mollusca   |            | Bivalvia       | Autobranchia | Sphaeriida    | Sphaeriidae          | <i>Pisidium personatum</i>                     | Malm, 1855                      | Quell-Erbsenmuschel                    | eutroglöphil               |

| Stamm          | Unterstamm    | Klasse        | Unterklasse     | Ordnung         | Familie           | Art   | Beschreiber          | Trivialnamen  | Ökologische Klassifikation |
|----------------|---------------|---------------|-----------------|-----------------|-------------------|---|----------------------|---|----------------------------|
| Mollusca       |               | Gastropoda    | Caenogastropoda | Littorinimorpha | Hydrobiidae       | <i>Aveniania roberti</i>                                      | Boeters, 1967        | Roberts Grundwasserschnecke                             | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Caenogastropoda | Littorinimorpha | Moitessieridae    | <i>Bythiospeum acicula</i>                                    | (Held, 1838)         | Kleine Brunnenschnecke                                  | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Caenogastropoda | Littorinimorpha | Moitessieridae    | <i>Bythiospeum helveticum</i>                                 | (Clessin, 1882)      | Schweizer Brunnenschnecke                               | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Caenogastropoda | Littorinimorpha | Moitessieridae    | <i>Bythiospeum husmanni</i>                                   | (C. Boettger, 1963)  | Husmanns Brunnenschnecke                                | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Caenogastropoda | Littorinimorpha | Moitessieridae    | <i>Bythiospeum</i> sp. (clade III sensu Richling et al. 2017) |                      | Oberrheinische Brunnenschnecke                          | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Caenogastropoda | Littorinimorpha | Moitessieridae    | <i>Bythiospeum sterkianum</i>                                 | (Clessin, 1882)      | Sterkis Brunnenschnecke                                 | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Ellobiida       | Ellobiidae        | <i>Carychium minimum</i>                                      | O. F. Müller, 1774   | Bauchige Zwerghornschncke                               | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Ellobiida       | Ellobiidae        | <i>Carychium tridentatum</i>                                  | (Risso, 1826)        | Schlanke Zwerghornschncke                               | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Arionidae         | <i>Arion ater</i>   | (Linnaeus, 1758)     | Schwarze Wegschnecke                                    | subtroglöphil              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Arionidae         | <i>Arion rufus</i>  | (Linnaeus, 1758)     | Rote Wegschnecke  | subtroglöphil              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Boettgeriidae     | <i>Boettgerilla pallens</i>                                   | Simroth, 1912        | Wurmnachtschncke  | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Discidae          | <i>Discus rotundatus</i>                                      | (O. F. Müller, 1774) | Gefleckte Schüsselschncke                               | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Helicidae         | <i>Cepaea nemoralis</i>                                       | (Linnaeus, 1758)     | Hain-Schnirkelschncke,<br>Schwarzmäandige Bänderschncke | subtroglöphil              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Helicidae         | <i>Helicigona lapicida</i>                                    | (Linnaeus, 1758)     | Steinpicker   | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Helicodontidae    | <i>Helicodonta obvoluta</i>                                   | (O. F. Müller, 1774) | Riemenschncke   | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Hygromiidae       | <i>Monachoides incarnatus</i>                                 | (O. F. Müller, 1774) | Rötliche Laubschncke                                    | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Limacidae         | <i>Lehmannia marginata</i>                                    | (O. F. Müller, 1774) | Baumschnegel  | subtroglöphil              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Limacidae         | <i>Limax cinereoniger</i>                                     | Wolf, 1803           | Schwarzer Schnegel                                      | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Limacidae         | <i>Limax maximus</i>  | Linnaeus, 1758       | Großer Schnegel, Tigerschnegel                          | subtroglöphil              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Oxychilidae       | <i>Daudebardia rufa</i>                                       | (Draparnaud, 1805)   | Rötliche Daudebardie                                    | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Oxychilidae       | <i>Oxychilus cellarius</i>                                    | (O. F. Müller, 1774) | Keller-Glantzchncke                                     | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Oxychilidae       | <i>Oxychilus draparnaudi</i>                                  | (H. Beck, 1837)      | Große Glantzchncke                                      | eutroglobiont              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Vitrinidae        | <i>Phenacolimax major</i>                                     | (A. Férussac, 1807)  | Große Glasschncke                                       | subtroglöphil              |
| Mollusca       |               | Gastropoda    | Heterobranchia  | Stylommatophora | Vitrinidae        | <i>Vitrina pellucida</i>                                      | (O. F. Müller, 1774) | Kugelige Glasschncke                                    | subtroglöphil              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Chromadorida    | Chromadoridae     | <i>Chromadorina bioculata</i>                                 | (Schultze, 1857)     |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Monhysterida    | Monhysteridae     | <i>Anguimonhystera stadleri</i>                               | (Goffart, 1950)      |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Plectida        | Plectidae         | <i>Wilsonema otophorum</i>                                    | (de Man, 1880)       |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Aphelenchidae     | <i>Aphelenchus avenae</i>                                     | Bastian, 1865        |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Aphelenchoididae  | <i>Aphelenchoides composticola</i>                            | Franklin, 1957       |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Cephalobidae      | <i>Cephalobus persegnis</i>                                   | Bastian, 1865        |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Cephalobidae      | <i>Cervidellus vexilliger</i>                                 | (De Man, 1880)       |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Criconematidae    | <i>Criconemoides informis</i>                                 | (Micoletzky, 1922)   |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Criconematidae    | <i>Criconemoides morgensis</i>                                | (Hofmänner, 1914)    |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Criconematidae    | <i>Ogma murrayi</i>   | Southern, 1914       |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Hemicyclophoridae | <i>Hemicyclophora micoletzkyi</i>                             | Goffart, 1951        |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Hemicyclophoridae | <i>Hemicyclophora thienemanni</i>                             | (W. Schneider, 1925) |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Paraphelenchidae  | <i>Paraphelenchus myceliophthorus</i>                         | Goodey, 1958         |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Rhabditidae       | <i>Pelodera teres</i>   | A. Schneider, 1866   |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Rhabditidae       | <i>Rhabditis monhystera</i>                                   | Bütschli, 1873       |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Rhabditidae       | <i>Rhabditis producta</i>                                     | (Schneider, 1866)    |   | eutroglobiont              |
| Nematoda       |               | Chromadorea   | Chromadoria     | Rhabditida      | Teratocephalidae  | <i>Teratocephalus tenuis</i>                                  | Andrássy, 1958       |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Dorylaimia      | Dorylaimida     | Aporcelaimidae    | <i>Aporcelaimellus obtusicaudatus</i>                         | (Bastian, 1865)      |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Dorylaimia      | Dorylaimida     | Nygalaimidae      | <i>Laevides husmanni</i>                                      | (Meyl, 1954)         |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Dorylaimia      | Dorylaimida     | Qudsianematidae   | <i>Eudorylaimus carteri</i>                                   | (Bastian, 1865)      |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Dorylaimia      | Dorylaimida     | Tylencholaimidae  | <i>Tylencholaimus minimus</i>                                 | De Man, 1876         |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Dorylaimia      | Mononchida      | Mononchidae       | <i>Clarkus papillatus</i>                                     | (Bastian, 1865)      |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Dorylaimia      | Mononchida      | Mononchidae       | <i>Mononchus truncatus</i>                                    | Bastian, 1865        |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Dorylaimia      | Mononchida      | Mononchidae       | <i>Prionchulus muscorum</i>                                   | (Dujardin, 1845)     |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Dorylaimia      | Mononchida      | Mylonchulidae     | <i>Mylonchulus sigmaturus</i>                                 | (Cobb, 1917)         |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Enoplia         | Enoplida        | Alaimidae         | <i>Alaimus primitivus</i>                                     | (De Man, 1880)       |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Enoplia         | Enoplida        | Trischistomatidae | <i>Trischistoma monhystera</i>                                | (De Man, 1880)       |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Enoplia         | Triplonchida    | Onchulidae        | <i>Onchulus nalli</i>   | Goffart, 1950        | Nolls Brunnenwürmchen                                   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Enoplia         | Triplonchida    | Prismatolaimidae  | <i>Prismatolaimus verrucosus</i>                              | Hirschmann, 1962     |   | eutroglobiont              |
| Nematoda       |               | Enoplea       | Enoplia         | Triplonchida    | Tripylidae        | <i>Tripyla filicaudata</i>                                    | De Man, 1880         |   | eutroglobiont              |
| Plathelminthes | Rhabditophora | Trepaxonemata |                 | Neophora        | Bothrioplanidae   | <i>Bothrioplana semperi</i>                                   | M. Braun, 1881       | Gruben-Strudelwurm                                      | eutroglobiont              |
| Plathelminthes | Rhabditophora | Trepaxonemata |                 | Neophora        | Dendrocoelidae    | <i>Bdellocephala schneideri</i>                               | Komarek, 1930        |   | eutroglobiont              |
| Plathelminthes | Rhabditophora | Trepaxonemata |                 | Neophora        | Dendrocoelidae    | <i>Dendrocoelum agile</i>                                     | De Beauchamps, 1932  |   | eutroglobiont              |
| Plathelminthes | Rhabditophora | Trepaxonemata |                 | Neophora        | Dendrocoelidae    | <i>Dendrocoelum cavaticum</i>                                 | (Fries, 1874)        | Höhlenplanarie  | eutroglobiont              |
| Plathelminthes | Rhabditophora | Trepaxonemata |                 | Neophora        | Dendrocoelidae    | <i>Dendrocoelum hercynicum</i>                                | Flossner, 1959       |   | eutroglobiont              |
| Plathelminthes | Rhabditophora | Trepaxonemata |                 | Neophora        | Dugesidae         | <i>Dugesia gonocephala</i>                                    | (Duges, 1830)        | Dreieckskopf-Strudelwurm                                | eutroglobiont              |
| Plathelminthes | Rhabditophora | Trepaxonemata |                 | Neophora        | Planariidae       | <i>Crenobia alpina</i>  | (Dana, 1766)         | Alpenstrudelwurm  | eutroglobiont              |
| Plathelminthes | Rhabditophora | Trepaxonemata |                 | Neophora        | Planariidae       | <i>Phagocata vitta</i>  | (Duges, 1830)        | Grundwasserplanarie                                     | eutroglobiont              |

| Stamm          | Unterstamm    | Klasse        | Unterklasse | Ordnung   | Familie        | Art                              | Beschreiber       | Trivialnamen                    | Ökologische Klassifikation |
|----------------|---------------|---------------|-------------|-----------|----------------|----------------------------------|-------------------|---------------------------------|----------------------------|
| Plathelminthes | Rhabditophora | Trepaxonemata |             | Neoophora | Planariidae    | <i>Polycelis felina</i>          | (Dalyell, 1814)   | Gehörnter Vielaugen-Strudelwurm | eutroglophil               |
| Plathelminthes | Rhabditophora | Trepaxonemata |             | Neoophora | Prorhynchidae  | <i>Prorhynchus fontinalis</i>    | Vejdovský, 1895   |                                 | eutroglobiont              |
| Plathelminthes | Rhabditophora | Trepaxonemata |             | Neoophora | Typhloplanidae | <i>Krumbachia subterranea</i>    | Reisinger, 1933   |                                 | eutroglobiont              |
| Plathelminthes | Rhabditophora | Trepaxonemata |             | Neoophora | Typhloplanidae | <i>Typhloplanella halleziana</i> | (Vejdovský, 1880) |                                 | eutroglophil               |
|                |               |               |             |           |                |                                  |                   | <b>Gesamtartenzahl</b>          | <b>750</b>                 |
|                |               |               |             |           |                |                                  |                   | <b>subtroglöphil</b>            | <b>157</b>                 |
|                |               |               |             |           |                |                                  |                   | <b>eutroglophil</b>             | <b>445</b>                 |
|                |               |               |             |           |                |                                  |                   | <b>eutroglobiont</b>            | <b>148</b>                 |